



THE ALL-NEW

Jimny

ALLGRIP *plus*



Nobody But Jimny



Exterior

Ready to conquer the wild

Built to tackle the harshest weather and terrain, the Jimny goes where other vehicles fear to tread. Take on nature's challenges, unleash your spirit of adventure, and get ready to explore.



BONNET CORNERS

Stay on top of your surroundings, thanks to a flat and square bonnet, carefully crafted to keep the front corners in view for better situational awareness when navigating uneven terrain.

PRACTICAL DRIP RAIL

Let the Jimny take you on your all-weather adventures. The drip rail helps keep your head dry and your spirits bright when entering and exiting by preventing water from dripping off the roof.



LED HEADLAMPS WITH WASHERS

Take pride in the Jimny's heritage, symbolised by its iconic round headlamps. Washers are standard for the LED headlamps, allowing confident driving in mud, dirt or snow.



OPTIMISED BUMPERS

All's clear for adventure, thanks to angled bumper edges that increase clearance at the wheels for assured climbing over obstacles. Their moulded black material safeguards the body from stone chips and scratches.

Interior

Stay focused on what matters most

In the Jimny, there's little to distract you from driving. Its stylish black interior is humble yet handsome, and the controls are designed for quick and easy operation, even when wearing gloves.



DOWN-TO-EARTH DESIGN

Relish the sheer pleasure of simple, straightforward and sensible design. Colours are minimal. Every detail is thoughtfully and attractively crafted to support serious off-roading.



STEERING SYSTEM

Keep in touch with the terrain, thanks to a robust ball-screw steering system that provides sufficient feedback yet minimises kickback. The steering wheel is leather-wrapped for a touch of luxury and can be vertically adjusted by up to 35 mm.



ILLUMINATED METER CLUSTER



In sunlight and moonlight, on and off the road, the meters are always illuminated for clear viewing. Their functional design complements the straightforward beauty of the interior.




INFRARED TOUCHSCREEN

9-inch are available, offering similar core functionality, and the smartphone linkage display audio works with Apple CarPlay and Android Auto™, allowing the use of various smartphone applications.

CONNECTIVITY AT THE TIP OF YOUR FINGER



Apple CarPlay works with your iPhone and Siri to help you get directions, make calls, play music, and send and receive messages using voice commands or the display audio touch panel interface. *Apple CarPlay is supported in the countries listed at the following link <https://www.apple.com/ios/feature-availability/#applecarplay-applecarplay> For more details, including iPhone models and iOS versions compatible with Apple CarPlay, see: <https://www.apple.com/ios/carplay/> *Apple, Apple CarPlay, iPhone and Siri are trademarks of Apple Inc., registered in the U.S. and other countries.



Android Auto™ lets you use voice commands to send messages, get directions, control media and perform other actions. Just say, "Hey, Google" or long press the voice control button on the steering wheel to get started. *Check g.co/androidauto/requirements for compatibility. Some features and devices may not be available in all countries. Subject to availability. *Google, Android, Android Auto, YouTube Music and other marks are trademarks of Google LLC.

Performance

Depend on robust authenticity

Four uncompromising features define the Jimny as a serious off-road machine: a robust ladder frame, three ample body angles, 3-link rigid axle suspensions with coil springs, and 4WD with a low-range transfer gear.






Departure angle

Ramp breakover angle

Approach angle

Ground clearance



Ample body angles and clearance

Push outdoor exploration to the limit with ample departure, ramp breakover, and approach angles, along with ground clearance that let you handle steep slopes, sharp descents, and obstacles without scraping the bumpers or underbody of the Jimny.

1.5L ENGINE

Feel empowered in the Jimny. Its robust 1.5L engine generates strong torque throughout a wide rpm range for powerful off-road performance. Small and lightweight, it also delivers high fuel efficiency.



4WD with low range transfer gear

At your command, the Jimny adapts to every situation. Shift the transfer lever to 4L mode when the going gets tough for maximum torque and traction. On flat off-road trails and snow-covered roads, enter 4H to enjoy 4WD traction at higher speeds. Once you return to paved roads, shift to 2H (2WD) mode for a smoother, quieter, and more fuel-efficient ride. Let ALLGRIP PRO satisfy your adventurous mind with its on- and off-road mastery.



Rigid ladder frame

From the very first generation, the Jimny has always featured a ladder frame that offers a solid foundation for serious off-road performance.



3-link rigid axle suspension with coil spring


Settle for nothing less than full-width rigid axles at both the front and rear, which help the Jimny ensure superior grip on diverse surfaces. When an obstacle pushes one wheel up, the axle presses the other wheel down to increase tyre contact in rough road conditions.



Safety Features

Safeguard yourself and others

Safety is a priority whether trekking through the wilderness or commuting in the city. Thanks to the advanced protective features of Suzuki Safety Support, you can always drive with peace of mind.




HILL HOLD CONTROL

The hill hold control system is designed to assist you in starting to move up hills. When you start to move up a hill, the system helps prevent the vehicle from rolling downward (for approximately 2 seconds) while you move your foot from the brake pedal to the accelerator pedal.

HILL DESCENT CONTROL

The system is designed to reduce the driver's workload when going down steep, rough and/or slippery hills where the vehicle cannot decelerate enough by engine braking alone. The hill descent control system helps to control vehicle speed by automatically engaging the vehicle's brakes, as needed, so you can concentrate on steering the vehicle.




BRAKE LSD TRACTION CONTROL

Cover slippery ground with confidence. If two wheels diagonal from each other lose grip while you're travelling over slippery surfaces, this feature is designed to automatically brake the slipping wheels and redistribute torque to the other two wheels, allowing the Jimny to make its escape.

DUAL SENSOR BRAKE SUPPORT II (DSBS II)


The system employs millimetre-wave radar sensors and a monocular camera to detect vehicles, motorcycles, bicycles* and pedestrian ahead of the Jimny. Audio and visual warnings are issued to alert you if the possibility of a collision arises. If you respond with insufficient brake force, brake assist automatically engages to help slow the vehicle. And if the probability of a collision increases, brake force is applied automatically to help reduce impact force and mitigate damage.

*Daytime only



6 SRS AIRBAGS

The Jimny All Grip Plus is equipped with dual front, front side, and curtain airbags, creating all-round protection that helps shield every occupant in the event of a collision.




PARKING SENSORS

Ultrasonic sensors in the front and rear bumpers detect obstacles when parking, and warning beeps sound to indicate the obstacle's proximity.

Safety Features

ADAPTIVE CRUISE CONTROL (ACC)

ACC helps reduce driver fatigue on long trips and when driving on highways. The system uses a millimetre-wave radar and a monocular camera to detect the presence and determine the distance to vehicles ahead, accelerating or decelerating as needed to maintain the distance you have set. (You can choose from four distance settings.) If the road ahead is clear, ACC will maintain the speed at which you were traveling when you engaged the system.



1. CONSTANT SPEED CONTROL

If there are no vehicles ahead, the speed set by the driver is maintained.

2. DECELERATION CONTROL


Speed is reduced to match the speed of the vehicle ahead.

3. FOLLOWING SPEED CONTROL

Speed is maintained to match the speed of the vehicle ahead.


4. ACCELERATION CONTROL

If the vehicle in front departs from the lane and there is sufficient distance from any additional vehicle ahead, the Jimny automatically reaccelerates to the set speed.




LANE DEPARTURE PREVENTION (LDP)

LDP detects the lane demarcation lines and predicts your path of travel as you drive. If the system senses that the vehicle begins to drift from the lane, it provides steering assistance to help return your Jimny to the centre of the lane.



WEAVING ALERT


During a long drive, this feature monitors and calculates driving patterns within the lanes. A buzzer will sound and a visible warning will appear on the dashboard if the vehicle is detected to be drifting abnormally to the left or right in its lane.



LANE DEPARTURE WARNING

The Jimny helps you stay on track. If you unintentionally stray from your lane while driving at high speed*, this feature is designed to vibrate the steering wheel or sound an audio alert, together with a visual warning to encourage safer driving.

*While travelling at approximately 60km/h or faster.



HIGH BEAM ASSIST

Enjoy safer, more relaxing, and courteous night driving with this feature, which is designed to automatically switch the headlights between high and low beams depending on the lighting conditions and the presence of other vehicles*.

*When travelling 30km/h or faster with the headlamp switch in auto position.

Jimny Rhino Plus



Rhino Decal

IT'S NOT JUST ABOUT CAPABILITY, IT'S ABOUT CHARACTER!

The Jimny Rhino Edition takes rugged charm and gives it a bold makeover. Beyond its proven off-road DNA, this special edition is dressed to impress with exclusive accessories that add flair, and striking decals that demand attention. Every detail is crafted to enhance its personality, turning a capable off-roader into a head-turning icon. Whether parked in the city or powering through the wild, the Rhino Edition makes sure you're not just driving, you're making a statement.



Alloy Rim 15" Polished



Front & Rear Red Mud Flap



Front Bumper Under Garnish



Suzuki Heritage Grille



Spare Tyre Cover with Rhino Logo



Side Under Garnish

Colour Variations



KINETIC YELLOW
+ BLUISH BLACK PEARL



CHIFFON IVORY METALLIC
+ BLUISH BLACK PEARL



PURE WHITE PEARL



LIST OF ACCESSORIES

1. Alloy Rim 15" Polished
2. Spare Tyre Cover w/Rhino Logo
3. Front Grille
4. Front Bumper Under Garnish
5. Side Under Garnish
6. Red Mud Flap - Front & Rear
7. Rhino Decal



For more information on how to fortify your Jimny, kindly contact: 012-633 4540 or email: suzukicarsmalaysia@naza.com

Specifications

ENGINE	
Engine Type	Petrol 1.5 (K15B)
Fuel Supply System	Multipoint injection
Bore x Stroke (mm)	74.0 x 85.0
Compression ratio	10,0
Displacement (cc)	1,462cc
Max Horsepower (hp @ rpm)	75kW (100hp) @ 6,000rpm
Max Torque (Nm @ rpm)	130Nm @ 4,000 rpm

TRANSMISSION	
Transmission Type	4 – speed auto
Gear ratio	1st – 2.875
	2nd – 1.568
	3rd – 1.000
	4th – 0.697
	Reverse – 2,300
Low range transfer gear	Mode: 2H, 4H & 4L (2WD & 4WD)

PLATFORM & SUSPENSION	
Platform	Ladder frame
Suspension System (Front)	3-link rigid axle with coil spring
Suspension System (Rear)	3-link rigid axle with coil spring
Steering	Recirculating ball
Driving System	4X4 (All grip Pro) Part time 4WD

PERFORMANCE	
Maximum speed:	140 km/h
Acceleration 0- 100km/h	17.2 second
Turning Radius(m)	5.7

SAFETY & SECURITY	
• SRS front dual airbags • Front SRS side airbags • Curtain airbags • Front Seatbelts - 3-point ELR seatbelts x 2 with pretensioners and force limiters • Rear Seatbelts - Rear: 3-point ELR seatbelts x 2 with force limiters • ISOFIX child seat anchorages rear x 2 • Pedal release system (Decoupling mechanism for brake & clutch pedals during impact) • Side impact door beams • Front & Rear Parking sensor • ABS function • ESP (Electronic Stability Program) – Continental (Equipped with G-force sensor) • Hill holds control (Sub function of ESP) – (press brake min 10sec and release) • Hill descent control • DSBS • Emergency stop signal • Lane departure warning • Lane departure prevention • Adaptive alert	
• Weaving alert • Rearview camera • Brake assist function • Shift lock/key interlock • High-mount stop lamp • Immobilizer	

EXTERIOR FEATURES	
Front Grille	Black with chrome accent
Wheel arch extensions	Material Color
Roof	Drip rails
Outside door handles	Body colored
Tailgate opener	Centre door lock

INTERIOR	
Cabin lights	Front & Rear cabin light 3 position
Sun visor	Driver & Passenger with ticket holder & vanity mirror
Assist Grip	Passenger and rear side x 2
Cup holder	Centre console
Shift knob	Urethane with piano black
Parking brake release button	Chrome
12V interior accessory socket	Centre console & luggage room
USB socket	Centre console
Remote fuel lid opener	Yes
Inside door handle	Chrome

VISIBILITY	
Headlamps	LED projector
Headlamp levelling device	Manual
Automatic headlamp	Automatic with headlamp washer
Automatic high beam	Daytime running lights
Fog lamps	Halogen Front Fog lamps
License plate lamp	Standard
Windows	Green Tinted Front, Quarter & tailgate glass
Windscreen	UV Cut Glass
Wiper operation	Front: 2-speed + intermittent + washer
	Tailgate: 1-speed + washer
Tailgate window demister	YES
Outside door mirrors	Black (painted)
	Electrically adjustable
	Electrically foldable
Day / night rearview mirror	Manual dimming

DRIVING AMENITIES	
Electric windows (Front)	Driver's side (up/down auto)
	Passenger's side
Central door locking	Switch on driver's side
Remote-control door locks	With hazard lamp answerback function
Air Conditioning	Automatic with heater
Pollen filter	
Audio	9-inch display audio + Bluetooth** + Rearview camera

LOOSE ITEM	
Antenna	Equipped with vehicle
Tire repair tools	Equipped with vehicle
Spare tire	Equipped with vehicle

BRAKING	
Braking System Type (Front)	Solid discs
Braking System Type (Rear)	Drum leading & trailing
Rims & Spare Tire	195/80 R15 with alloy wheels

STEERING & INSTRUMENT PANEL	
3-spoke steering wheel	Urethane
	Leather covered
	With audio controls
	With adaptive cruise control
	With hands-free phone control
	Tilt-adjust
Power steering	
Instrument panel	Tachometer
Information display integrated into meter cluster	Color, Clock & Outside temperature
Light-off and key reminder	Alarm
Key reminder	Alarm
Driver's seatbelt reminder	Lamp & alarm
Passenger's seatbelt reminder	Lamp & alarm
Rear seatbelt reminder	Lamp & alarm
Door ajar reminder	Lamp
Low fuel warning	Lamp

DIMENSION	
Length	3,485mm (front to rear bumper)
Width	1,645mm
Height	1,720mm
Wheelbase	2,250mm
Ground clearance	210mm
Wheel Size	195/80 R15 (Alloy)
Weight (kg)	1130 (kerb weight)
Gross vehicle weight (kg)	1450
Seating capacity	4
Fuel Tank Capacity (liters)	40
Boot Size (liters)	85 (rear seat raised) VDA method
	377 (rear seat folded) VDA method
	830 (Max. volume)

SEATS	
Rear seat & front seat	Walk-in mechanism
	50:50-split single-folding
	Head restraints x 2
Seat upholstery material	Fabric

RIMS - 195/80 R15	
	15" Dark-Metallic Grey Alloy Rims

Colour Variations



KINETIC YELLOW
+ BLUISH BLACK PEARL



JUNGLE GREEN



MEDIUM GRAY



CHIFFON IVORY METALLIC
+ BLUISH BLACK PEARL



BLUISH BLACK PEARL



PURE WHITE PEARL

